

## VOLUME 22, PART I.

### SUBJECT INDEX.

#### A

##### Admiralty.

Tentative Specifications for Seamless — Condenser Tubes and Ferrule Stock, 661.

##### Aggregates.

Concrete and Concrete —. Report of Committee C-9, 321.

Tentative Method of Decantation Test for Sand and Other Fine —, 802.

##### Alloys.

A List of —. William Campbell. Report of Committee B-2, Appendix III, 213.

Non-Ferrous Metals and —. Report of Committee B-2, 200. Discussion, 243.

The Physical properties of the A.S.T.M. Tentative Standard White Metal Bearing —. John R. Freeman, Jr. Report of Committee B-2, Appendix I, 207.

Tentative Revision of the Standard Definitions and Rules Governing the Preparation of Micographs of Metals and —, 994.

##### Aluminum.

Tentative Specifications for — Ingots for Remelting and for Rolling, 646.

##### Analysis.

Tentative Methods of — of Grease, 768.

Tentative Methods of Chemical — of Alloy Steels, 600.

Tentative Methods of Chemical — of Brass Ingots and Sand Castings, 664.

Tentative Methods of Chemical — of Bronze Bearing Metal, 674.

Tentative Methods of Chemical — of Limestone, Quicklime and Hydrated Lime, 715.

Tentative Method of Mechanical — of Subgrade Soils, 803.

Tentative Methods of Routine — of Yellow and Orange Pigments Containing Chromium Compounds, Blue Pigments and Chrome Green, 754.

Tentative Methods of Chemical — of Plain Carbon Steel, 578.

Tentative Revision of the Standard Methods of Chemical — of Alloy Steels, 985.

Tentative Revision of the Standard Methods of Chemical — of Plain Carbon Steel, 985.

Tentative Revision of the Standard Methods of Laboratory Sampling and — of Coal, 992.

Tentative Revision of the Standard Methods of Laboratory Sampling and — of Coke, 993.

##### Annealing.

Tentative Revision of the Recommended Practice for — of Carbon-Steel Castings, 985.

##### Annual Address.

— by the President, C. D. Young, 36.

## VOLUME 22, PART I.

### SUBJECT INDEX.

#### A

##### Admiralty.

Tentative Specifications for Seamless — Condenser Tubes and Ferrule Stock, 661.

##### Aggregates.

Concrete and Concrete —. Report of Committee C-9, 321.

Tentative Method of Decantation Test for Sand and Other Fine —, 802.

##### Alloys.

A List of —. William Campbell. Report of Committee B-2, Appendix III, 213.

Non-Ferrous Metals and —. Report of Committee B-2, 200. Discussion, 243.

The Physical properties of the A.S.T.M. Tentative Standard White Metal Bearing —. John R. Freeman, Jr. Report of Committee B-2, Appendix I, 207.

Tentative Revision of the Standard Definitions and Rules Governing the Preparation of Micographs of Metals and —, 994.

##### Aluminum.

Tentative Specifications for — Ingots for Remelting and for Rolling, 646.

##### Analysis.

Tentative Methods of — of Grease, 768.

Tentative Methods of Chemical — of Alloy Steels, 600.

Tentative Methods of Chemical — of Brass Ingots and Sand Castings, 664.

Tentative Methods of Chemical — of Bronze Bearing Metal, 674.

Tentative Methods of Chemical — of Limestone, Quicklime and Hydrated Lime, 715.

Tentative Method of Mechanical — of Subgrade Soils, 803.

Tentative Methods of Routine — of Yellow and Orange Pigments Containing Chromium Compounds, Blue Pigments and Chrome Green, 754.

Tentative Methods of Chemical — of Plain Carbon Steel, 578.

Tentative Revision of the Standard Methods of Chemical — of Alloy Steels, 985.

Tentative Revision of the Standard Methods of Chemical — of Plain Carbon Steel, 985.

Tentative Revision of the Standard Methods of Laboratory Sampling and — of Coal, 992.

Tentative Revision of the Standard Methods of Laboratory Sampling and — of Coke, 993.

##### Annealing.

Tentative Revision of the Recommended Practice for — of Carbon-Steel Castings, 985.

##### Annual Address.

— by the President, C. D. Young, 36.

**Annual Meeting.**

Summary of the Proceedings of the Twenty-fifth —, 11.

**Anti-Fouling Paints.**

— Report of Sub-Committee XXIII, Committee D-1, 394.

**Ash.**

Tentative Method of Test for Fusibility of Coal —, 815.

**Asphalt.**

Tentative Specifications for — for Use in Damp-proofing and Waterproofing above Ground Level, 865.

Tentative Specifications for — for Use in Damp-proofing and Waterproofing below Ground Level, 863.

Tentative Specifications for — Cement, 10 to 15 Penetration, for the Manufacture of — Block, 792.

Tentative Specifications for — Cement, 15 to 25 Penetration, for the Manufacture of — Block, 793.

Tentative Specifications for — Cement, 40 to 50 Penetration, for Use in Sheet — and Asphaltic Concrete Pavements, 794.

Tentative Specifications for — Cement, 50 to 60 Penetration, for Use in Sheet — and Asphaltic Concrete Pavements, 795.

Tentative Specifications for — Cement, 60 to 70 Penetration, for Use in Sheet —, Asphaltic Concrete, and — Macadam Pavements, 796.

Tentative Specifications for — Cement, 70 to 90 Penetration, for Use in — Macadam Pavements, 797.

Tentative Specifications for — Cement, 90 to 120 Penetration, for Use in — Macadam Pavements, 798.

Tentative Specifications for — Cement, 120 to 150 Penetration, for Use in — Macadam Pavements, 799.

Tentative Specifications for Primer for Use with — in Damp-proofing and Waterproofing below and above Ground Level, 867.

**Automobile.**

Tentative Revision of the Standard Specifications for — Carbon and Alloy Steels, 981.

**B**

**Barrels.**

Tentative Methods of Sampling Bituminous Materials Shipped in — or Drums, 890.

**Bearing.**

Tentative Methods of Chemical Analysis of Bronze — Metal, 674.

The Physical Properties of the A.S.T.M. Tentative Standard White Metal—Alloys. John R. Freeman, Jr. Report of Committee B-2, Appendix I, 207.

**Bituminous.**

Tentative Method of Float Test for — Road Materials, 809.

Tentative Methods of Sampling — Materials, 812.

Tentative Method of Sampling — Materials Shipped in Barrels or Drums, 890.

Tentative Method of Test for Ductility of — Materials, 807.

Tentative Methods of Testing — Mastics, Grouts and Like Mixtures, 884.

Tentative Methods of Testing Felted and Woven Fabrics Saturated with — Substances for Use in Waterproofing, 875.

**Block.**

- Tentative Specifications for Asphalt Cement. 10 to 15 Penetration, for the Manufacture of Asphalt —, 792.
- Tentative Specifications for Asphalt Cement, 15 to 25 Penetration, for the Manufacture of Asphalt —, 793.
- Tentative Specifications for — for Durax Granite Pavements, 788.
- Tentative Specifications for — for Recut Granite — Pavements, 786.
- Tentative Specifications for Coal-Tar Pitch for Stone — Filler, 800.

**Blooms.**

- Tentative Revision of the Standard Specifications for Wrought-Iron Rolled or Forged — and Forgings for Locomotives and Cars, 984.

**Boiler Tubes.**

- Tentative Revision of the Standard Specifications for Lap-Welded and Seamless Steel — for Locomotives, 981.
- Tentative Specifications for Lap-Welded and Seamless Steel and Lap-Welded Iron —, 553.

**Boxes.**

- Tentative Specifications for Wooden —, Nailed and Lock-Corner Construction, 918.

**Brass.**

- Tentative Methods of Chemical Analysis of — Ingots and Sand Castings, 664.
- Tentative Specifications for — Pipe, Standard Sizes, 657.

**Brick.**

- Report of Committee C-3, 248.
- Tentative Revision of the Standard Specifications for Paving —, 986.
- Tentative Specifications for Quicklime and Hydrated Lime for the Manufacture of Silica —, 705.

**Bronze.**

- Tentative Methods of Chemical Analysis of — Bearing Metal, 674.

**Building Tile.**

- Hollow — Report of Committee C-10, 352.

**C****Calcium Chloride.**

- Tentative Specifications for — for Dust Prevention, 790.

**Carbon Residue.**

- Tentative Revision of the Standard Methods of Testing Lubricants (Specific Gravity, Free Acid, —, Viscosity), 991.

**Cars.**

- Tentative Revision of the Standard Specifications for Wrought-Iron Rolled or Forged Blooms and Forgings for Locomotives and —, 984.

**Castings.**

- Malleable — Report of Committee A-7, 196.
- Report of the Society Representatives on the Joint Committee on Specifications for Steel — for Railroads. Report of Committee A-1, Appendix II, 81.
- Tentative Methods of Chemical Analysis of Brass Ingots and Sand —, 664.
- Tentative Recommended Practice for Heat Treatment of Carbon-Steel —, 643.

**Castings (Continued):**

- Tentative Revision of the Recommended Practice for Annealing of Carbon Steel —, 985.
- Tentative Revision of the Standard Specifications for Malleable —, 984.
- Tentative Specifications for Carbon-Steel — for Railroads, 560.
- Tentative Specifications for High-Test Gray-Iron —, 575.

**Cast-Iron.**

- . Report of Committee A-3, 134. Addendum, 136. Discussion, 137.
- Tentative Specifications for Chilled — Wheels, 569.

**Cement.**

- . Report of Committee C-1, 245.
- Clay and — Sewer Pipe. Report of Committee C-4, 250. Addendum, 252.
- Tentative Method of Test for Consistency of Portland- — Concrete for Pavements or for Pavement Base, 805.
- Tentative Revision of the Standard Specifications for — Concrete Sewer Pipe, 987.
- Tentative Revision of the Standard Specifications and Tests for Portland —, 986.
- Tentative Specifications for Asphalt —, 10 to 15 Penetration, for the Manufacture of Asphalt Block, 792.
- Tentative Specifications for Asphalt —, 15 to 25 Penetration, for the Manufacture of Asphalt Block, 793.
- Tentative Specifications for Asphalt —, 40 to 50 Penetration, for Use in Sheet Asphalt and Asphaltic Concrete Pavements, 794.
- Tentative Specifications for Asphalt —, 50 to 60 Penetration, for Use in Sheet Asphalt and Asphaltic Concrete Pavements, 795.
- Tentative Specifications for Asphalt —, 60 to 70 Penetration, for Use in Sheet Asphalt, Asphaltic Concrete, and Asphalt Macadam Pavements, 796.
- Tentative Specifications for Asphalt —, 70 to 90 Penetration, for Use in Asphalt Macadam Pavements, 797.
- Tentative Specifications for Asphalt —, 90 to 120 Penetration, for Use in Asphalt Macadam Pavements, 798.
- Tentative Specifications for Asphalt —, 120 to 150 Penetration, for Use in Asphalt Macadam Pavements, 799.

**Chemical Analysis.**

- Tentative Methods of — of Alloys Steels, 600.
- Tentative Methods of — of Brass Ingots and Sand Castings, 664.
- Tentative Methods of — of Bronze Bearing Metal, 674.
- Tentative Methods of — of Limestone, Quicklime and Hydrated Lime, 715.
- Tentative Methods of — of Plain Carbon Steel, 578.
- Tentative Revision of the Standard Methods of — of Alloy Steels, 985.
- Tentative Revision of the Standard Methods of — of Plain Carbon Steel, 985.

**Chromium.**

- Tentative Methods of Routine Analysis of Yellow and Orange Pigments Containing — Compounds, Blue Pigments and Chrome Green, 754.

**Chromometer.**

- Color of Refined Oil by Saybolt —. Report of Sub-Committee VI, Committee D-2, Appendix, 427.

**Clay.**

- and Cement Sewer Pipe. Report of Committee C-4, 250. Addendum, 252.
- Tentative Revision of the Standard Method of Test for Quantity of — and Silt in Gravel for Highway Construction, 992.
- Tentative Revision of the Standard Specifications for — Sewer Pipe, 986.

**Cloud.**

- and Pour Test. Report of Sub-Committee XVI, Committee D-2, 442.
- Tentative Method of Test for — and Pour Points of Petroleum Products, 681.

**Coal.**

- . Report of Committee D-5, 459.
- Tentative Definitions of Terms Relating to —, 825.
- Tentative Method of Test for Fusibility of — Ash, 815.
- Tentative Revision of the Standard Methods of Laboratory Sampling and Analysis of —, 992.

**Coal-Tar.**

- Tentative Specifications for — Pitch for Stone Block Filler, 800.
- Tentative Specifications for — Pitch for Use in Damp-proofing and Waterproofing below Ground Level, 869.
- Tentative Specifications for — Pitch for Use in Damp-proofing and Waterproofing above Ground Level, 871.
- Tentative Specifications for Creosote Oil for Priming Coat with — Pitch in Damp-proofing and Waterproofing below and above Ground Level, 873.

**Coatings.**

- Preservatives — for Structural Materials. Report of Committee D-1, 364.
- Preservative Metallic — for Metals. Report of Sub-Committee II, Committee A-5, 155.

**Coke.**

- . Report of Committee D-6, 463.
- Tentative Method of Shatter Test for —, 822.
- Tentative Revision of the Standard Methods of Laboratory Sampling and Analysis of —, 993.

**Color.**

- . Report of Sub-Committee VI, Committee D-2, 425.
- of Refined Oil by Saybolt Chromometer. Report of Sub-Committee VI, Committee D-2, Appendix, 427.

**Compression Tests.**

- Summary of Data Obtained in "Series 201," — of Concrete Made in Cooperation with Committee C-9. Report of Committee C-9, Appendix II, 329.

**Concrete.**

- Analysis of Tests on Effect of Hydrated Lime in — Made at Lewis Institute. T. B. Shertzer. Report of Committee C-7, Appendix I, 269.
- and — Aggregates. Report of Committee C-9, 321.
- Effect of Hydrated Lime on Strength and Flow of —. H. C. Berry. Report of Committee C-7, Appendix IV, 290.
- Effect of Hydrated Lime on the Strength and Flow of —. W. E. Emley. Report of Committee C-7, Appendix II, 284.
- Investigation of Effect of Hydrated Lime in —. H. F. Clemmer. Report of Committee C-7, Appendix III, 288.

**Concrete (Continued):**

- On the Progress Report of the Joint Committee on Standard Specifications for — and Reinforced —. Report of Committee C-9, Appendix I, 324.
- Reinforced —. Report of Committee C-2, 247.
- Summary of Data Obtained in "Series 201," Compression Tests of — Made in Cooperation with Committee C-9. Report of Committee C-9, Appendix II, 329.
- Tentative Method of Test for Consistency of Portland-Cement — for Pavements or for Pavement Base, 805.
- Tentative Revision of the Standard Specifications for Cement — Sewer Pipe, 987.
- Tentative Rules for Inspection of — and Reinforced — Work, 734.
- Tentative Specifications for Asphalt Cement, 40 to 50 Penetration, for Use in Sheet Asphalt and Asphaltic — Pavements, 794.
- Tentative Specifications for Asphalt Cement, 50 to 60 Penetration, for Use in Sheet Asphalt and Asphaltic — Pavements, 795.
- Tentative Specifications for Asphalt Cement, 60 to 70 Penetration, for Use in Sheet Asphalt, Asphaltic —, and Asphalt Macadam Pavements, 796.

**Condenser Tubes.**

- Tentative Specifications for Seamless Admiralty — Tubes and Ferrule Stock, 661.

**Consistency.**

- Tentative Method of Test for — of Portland-Cement Concrete for Pavements or for Pavement Base, 805.

**Containers.**

- Shipping —. Report of Committee D-10, 483.

**Cooking of Rags.**

- Tentative Specifications for Quicklime and Hydrated Lime for Use in the — for the Manufacture of Paper, 697.

**Copper.**

- Tentative Specifications for — Pipe, Standard Sizes, 653.

**Copper Wire.**

- . Report of Committee B-1, 198.
- Tentative Revision of the Standard Specifications for Hard-Drawn —, 986.

**Corrosion.**

- of Iron and Steel. Report of Committee A-5, 153.

**Cotton.**

- Proposed Revisions of the Tentative Specifications for — Rubber-Lined Fire Hose for Private Fire Department Use (D 14 - 21 T). Report of Committee D-11, Appendix, 494.
- Tentative Methods of Testing — Fibers, 973.
- Tentative Revision of the Standard Methods of Testing — Rubber-Lined Hose, 994.
- Tentative Specifications for — Rubber-Lined Fire Hose for Private Fire Department Use, 925.

**Creosote.**

- Tentative Specifications for — Oil for Priming Coat with Coal-Tar Pitch in Damp-proofing and Waterproofing below and above Ground Level, 873.



**D****Damp-proofing.**

- Tentative Specifications for Asphalt for Use in — and Waterproofing above Ground Level, 865.
- Tentative Specifications for Asphalt for Use in — and Waterproofing below Ground Level, 863.
- Tentative Specifications for Coal-Tar Pitch for Use in — and Waterproofing above Ground Level, 871.
- Tentative Specifications for Coal-Tar Pitch for Use in — and Waterproofing below Ground Level, 869.
- Tentative Specifications for Creosote Oil for Priming Coat with Coal-Tar Pitch in — and Waterproofing below and above Ground Level, 873.
- Tentative Specifications for Primer for Use with Asphalt in — and Waterproofing below and above Ground Level, 867.

**Decantation Test.**

- Tentative Method of — for Sand and Other Fine Aggregates, 802.

**Definitions.**

- of Terms Used in Paint Specifications. Report of Sub-Committee VI, Committee D-1, 374.
- Nomenclature and —. Report of Committee E-8, 539.
- Tentative Definitions of Terms Relating to Coal, 825.
- Tentative Definitions of Terms Relating to Lime, 731.
- Tentative Definitions of Terms Relating to Textile Materials, 976.
- Tentative Definitions of Terms Relating to the Gypsum Industry, 732.
- Tentative Revision of the Standard Definitions and Rules Governing the Preparation of Micrographs of Metals and Alloys, 994.

**Dielectric.**

- Tentative Method of Test for Momentary — Strength of Sheet Insulating Materials, 897.
- Tentative Method of Test for Phase Difference (Power Factor), and — Constant of Molded Electrical Insulating Materials at Radio Frequencies, 900.

**Drain Tile.**

- Report of Committee C-6, 259.

**Drums.**

- Tentative Methods of Sampling Bituminous Materials Shipped in Barrels or —, 890.

**Ductility.**

- Tentative Method of Test for — of Bituminous Materials, 807.

**Durax.**

- Tentative Specifications for Block for — Granite Pavements, 788.

**Dust Prevention.**

- Tentative Specifications for Calcium Chloride for —, 790.

**E****Electrical.**

- Insulating Materials. Report of Committee D-9, 472.
- Tentative Method of Test for Phase Difference (Power Factor) and Dielectric Constant of Molded — Insulating Materials at Radio Frequencies, 900.
- Tentative Specifications for Adhesive Tape for General Use for — Purposes, 931.
- Tentative Specifications for Rubber Gloves for — Workers on Apparatus or Circuits not exceeding 3000 Volts to Ground, 937.



**Emulsification.**

- Report of Sub-Committee XI, Committee D-2, 431.
- Suggested Method of Test for Modified Resistance to — Number of Lubricating Oils. Report of Sub-Committee XI, Committee D-2, Appendix, 437.

**Executive Committee.**

- Annual Report of the —, 46.

**F****Fabrics, Fabric.**

- Tentative Methods of Testing Felted and Woven — Saturated with Bituminous Substances for Use in Waterproofing, 875.
- Tentative Specifications for Imperfections and Tolerances for 60-in. 17½-oz. Square-Woven Builder — (made of Yarn not less than 8-Ply), 967.

**Felted.**

- Tentative Methods of Testing — and Woven Fabrics Saturated with Bituminous Substances for Use in Waterproofing, 875.

**Ferrule.**

- Tentative Specifications for Seamless Admiralty Condenser Tubes and — Stock, 661.

**Fibers.**

- Tentative Methods of Testing Cotton —, 973.

**Filler.**

- Tentative Specifications for Coal-Tar Pitch for Stone Block —, 800.

**Fire Tests.**

- Tentative Revision of the Standard Specifications for — of Materials and Construction, 988.

**Fireproofing.**

- Report of Committee C-5, 254.

**Flash.**

- Report of Sub-Committee XII, Committee D-2, 441.

**Float Test.**

- Tentative Method of — for Bituminous Road Materials, 809.

**Flow.**

- Effect of Hydrated Lime on Strength and — of Concrete. H. C. Berry. Report of Committee C-7, Appendix IV, 290.
- Effect of Hydrated Lime on the Strength and — of Concrete. W. E. Emley. Report of Committee C-7, Appendix II, 284.

**Forgings.**

- Tentative Revision of the Standard Specifications for Wrought-Iron Rolled or Forged Blooms and — for Locomotives and Cars, 984.

**Foundry Pig Iron.**

- Tentative Revision of the Standard Specifications for —, 984.
- Tentative Specifications for —, 566.

**Free Acid.**

- Tentative Revision of the Standard Methods of Testing Lubricants (Specific Gravity, —, Carbon Residue, Viscosity), 991.

**Fusibility.**

- Tentative Methods of Test for — of Coal Ash, 815.

**G****Gasoline.**

- Cooperative Tests on —. Report of Sub-Committee XVII, Committee D-2, Appendix, 446.
- Report of Sub-Committee XVII, Committee D-2, 445.
- Tentative Method of Test for Detection of Free Sulfur and Corrosive Sulfur Compounds in —, 780.

**Gloves.**

- Tentative Specifications for Rubber — for Electrical Workers on Apparatus or Circuits Not Exceeding 3000 Volts to Ground, 937.

**Granite.**

- Tentative Specifications for Block for Durax — Pavements, 788.
- Tentative Specifications for Block for Recut — Block Pavements, 786.

**Gravel.**

- Tentative Revision of the Standard Method of Test for Quantity of Clay and Silt in — for Highway Construction, 992.

**Gray-Iron.**

- Tentative Specifications for High-Test — Castings, 575.

**Grease.**

- Report of Sub-Committee IV, Committee D-2, 422.
- Tentative Method of Analysis of —, 768.

**Grouts.**

- Tentative Methods of Testing Bituminous Mastics, — and Like Mixtures, 884.

**Gypsum.**

- Report of Committee C-11, 354.
- Plaster and Wall Boards. J. M. Porter. Report of Committee C-11, Appendix, 358.
- Tentative Definitions of Terms Relating to the — Industry, 732.
- Tentative Specifications for —, 707.
- Tentative — Plaster Board, 712.
- Tentative Specifications for — Wall Board, 710.

**H****Heat Treatment.**

- of Iron and Steel. Report of Committee A-4, 151.
- Tentative Recommended Practice for — of Carbon-Steel Castings, 643.

**Hollow Building Tile.**

- Report of Committee C-10, 352.

**Hose.**

- Proposed Revision of the Tentative Specifications for Cotton Rubber-Lined Fire — for Private Fire Department Use (D 14 - 21 T). Report of Committee D-11, Appendix, 494.
- Tentative Revision of the Standard Methods of Testing Cotton Rubber-Lined —, 994.
- Tentative Specifications for Cotton Rubber-Lined Fire — for Private Fire Department Use, 925.

**Hydrated Lime.**

- Analysis of Tests on Effect of — in Concrete Made at Lewis Institute. T. B. Shertzer. Report of Committee C-7, Appendix I, 269.  
Effect of — on Strength and Flow of Concrete. H. C. Berry. Report of Committee C-7, Appendix IV, 290.  
Effect of — on the Strength and Flow of Concrete. W. E. Emley. Report of Committee C-7, Appendix II, 284.  
Investigation of Effect of — in Concrete. H. F. Clemmer. Report of Committee C-7, Appendix III, 288.  
Tentative Methods of Chemical Analysis of Limestone, Quicklime and —, 715.  
Tentative Specifications for — for Structural Purposes, 691.  
Tentative Specifications for — for the Manufacture of Varnish, 701.  
Tentative Specifications for Quicklime and — for the Manufacture of Silica Brick, 705.  
Tentative Specifications for Quicklime and — for Use in the Cooking of Rags for the Manufacture of Paper, 697.  
Tentative Specifications for Quicklime and — for Use in the Manufacture of Sulfite Pulp, 699.  
Tentative Specifications for Quicklime and — for Use in the Textile Industry, 703.

**Illuminating Oil.**

- Tentative Methods of Test for Sulfur in Petroleum Oils Heavier than —, 777.

**Immersion.**

- Total — Tests. Report of Sub-Committee V, Committee A-5, 195.

**Imperfections.**

- Tentative Specifications for — and Tolerances for 60-in. 17½-oz. Square-Woven Builder Fabric (made of Yarn not Less than 8-Ply), 967.

**Ingots.**

- Tentative Methods of Chemical Analysis of Brass — and Sand Castings, 664.  
Tentative Specifications for Aluminum — for Remelting and for Rolling, 646.

**Inspection.**

- of the Fort Sheridan, Pittsburgh, and Annapolis Tests. Report of Sub-Committee III, Committee A-5, 156.  
Tentative Methods of Sampling, —, Packing and Marking of Quicklime and Lime Products, 728.  
Tentative Rules for — of Concrete and Reinforced Concrete Work, 734.

**Insulating.**

- Electrical — Materials. Report of Committee D-9, 472.  
Tentative Method of Test for Momentary Dielectric Strength of Sheet — Materials, 897.  
Tentative Method of Test for Phase Difference (Power Factor) and Dielectric Constant of Molded Electrical — Materials at Radio Frequencies, 900.  
Tentative Methods of Testing — Varnishes, 892.  
Tentative Specifications for Rubber — Tape, 934.

**Iron.**

- Cast —. Report of Committee A-3, 134. Addendum, 136. Discussion, 137.  
Corrosion of — and Steel. Report of Committee A-5, 153.

**Iron (Continued):**

- Heat Treatment of — and Steel. Report of Committee A-4, 151.
- Preparation of — and Steel Surfaces for Painting. Report of Sub-Committee XIV, Committee D-1, 382.
- Tentative Revision of the Standard Specifications for Foundry Pig —, 984.
- Tentative Revision of the Standard Specifications for Welded Wrought — Pipe, 983.
- Tentative Revision of the Standard Specifications for Wrought — Rolled or Forged Blooms and Forgings for Locomotives and Cars, 984.
- Tentative Specifications for Chilled Cast — Wheels, 569.
- Tentative Specifications for Foundry Pig —, 566.
- Tentative Specifications for High-Test Gray — Castings, 575.
- Tentative Specifications for Lap-Welded and Seamless Steel and Lap-Welded — Boiler Tubes, 553.
- Wrought —. Report of Committee A-2, 131.

**L****Lap-Welded.**

- Tentative Revision of the Standard Specifications for — and Seamless Steel Boiler Tubes for Locomotives, 981.
- Tentative Specifications for — and Seamless Steel and — Iron Boiler Tubes, 553.

**Lead.**

- Tentative Specifications for Pig —, 648.

**Lime.**

- Analysis of Tests on Effect of Hydrated — in Concrete Made at Lewis Institute. T. B. Shertzer. Report of Committee C-7, Appendix I, 269.
- Effect of Hydrated — on Strength and Flow of Concrete. H. C. Berry. Report of Committee C-7, Appendix IV, 290.
- Effect of Hydrated — on the Strength and Flow of Concrete. W. E. Emley. Report of Committee C-7, Appendix II, 284.
- Investigation of Effect of Hydrated — in Concrete. H. F. Clemmer. Report of Committee C-7, Appendix III, 288.
- Report of Committee C-7, 264. Discussion, 292.
- Tentative Definitions of Terms Relating to —, 731.
- Tentative Methods of Chemical Analysis of Limestone, Quicklime and Hydrated —, 715.
- Tentative Methods of Sampling, Inspection, Packing and Marking of Quicklime and — Products, 728.
- Tentative Specifications for Hydrated — for Structural Purposes, 691.
- Tentative Specifications for Hydrated — for the Manufacture of Varnish, 701.
- Tentative Specifications for Quicklime and Hydrated — for the Manufacture of Silica Brick, 705.
- Tentative Specifications for Quicklime and Hydrated — for Use in the Cooking of Rags for the Manufacture of Paper, 697.
- Tentative Specifications for Quicklime and Hydrated — for Use in the Manufacture of Sulfit Pulp, 699.
- Tentative Specifications for Quicklime and Hydrated — for Use in the Textile Industry, 703.

**Limestone.**

Tentative Methods of Chemical Analysis of —, Quicklime and Hydrated Lime, 715.

**Locomotives.**

Tentative Revision of the Standard Specifications for Lap-Welded and Seamless Steel Boiler Tubes for —, 981.

Tentative Revision of the Standard Specifications for Wrought-Iron Rolled or Forged Blooms and Forgings for — and Cars, 984.

**Lubricants.**

Petroleum Products and —. Report of Committee D-2, 416.

Tentative Revision of the Standard Methods of Testing — (Specific Gravity, Free Acid, Carbon Residue, Viscosity), 991.

**Lubricating.**

Suggested Method of Test for Modified Resistance to Emulsification Number of — Oils. Report of Sub-Committee XI, Committee D-2, Appendix, 437.

**M****Macadam.**

Tentative Specifications for Asphalt Cement, 60 to 70 Penetration, for Use in Sheet Asphalt, Asphaltic Concrete, and Asphalt — Pavements, 796.

Tentative Specifications for Asphalt Cement, 70 to 90 Penetration, for Use in Asphalt — Pavements, 797.

Tentative Specifications for Asphalt Cement, 90 to 120 Penetration, for Use in Asphalt — Pavements, 798.

Tentative Specifications for Asphalt Cement, 120 to 150 Penetration, for Use in Asphalt — Pavements, 799.

**Malleable Castings.**

— Report of Committee A-7, 196.

Tentative Revision of the Standard Specifications for —, 984.

**Marking.**

Tentative Methods of Sampling, Inspection, Packing and — of Quicklime and Lime Products, 728.

**Mastics.**

Tentative Methods of Testing Bituminous —, Grouts and Like Mixtures, 884.

**Melting Point.**

Tentative Method of Test for — of Petrolatum, 766.

**Metallic Coatings.**

Preservative — for Metals. Report of Sub-Committee II, Committee A-5, 155.

**Micrographs.**

Tentative Revision of the Standard Definitions and Rules Governing the Preparation of — of Metals and Alloys, 994.

**N****Nomenclature.**

— and Definitions. Report of Committee E-8, 539.

**Non-Ferrous.**

— Metals and Alloys. Report of Committee B-2, 200. Discussion, 243.

## O

**Oil, Oils.**

- Color of Refined — by Saybolt Chromometer. Report of Sub-Committee VI, Committee D-2, Appendix, 427.
- Suggested Method of Test for Modified Resistance to Emulsification Number of Lubricating —. Report of Sub-Committee XI, Committee D-2, Appendix 437.
- Tentative Method of Test for Sulfur in Petroleum — Heavier than Illuminating —, 777.
- Tentative Revision of the Standard Specifications for Purity of Raw Tung —, 991.
- Tentative Specifications for Creosote — for Priming Coat with Coal-Tar Pitch in Damp-proofing and Waterproofing below and above Ground Level, 873.
- Tentative Specifications for Perilla —, Raw or Refined, 753.
- Tentative Specifications for Raw Tung —, 742.
- Tentative Specifications for Soya Bean —, Raw or Refined, 748.

## P

**Packing.**

- Tentative Methods of Sampling, Inspection, —, and Marking of Quicklime and Lime Products, 728.

**Paint, Paints.**

- Anti-Fouling —. Report of Sub-Committee XXIII, Committee D-1, 394.
- Definitions of Terms Used in — Specifications. Report of Sub-Committee VI, Committee D-1, 374.
- Method of Application of — by Spraying. Report of Sub-Committee XXII, Committee D-1, 384.
- Methods of Analysis of — Materials. Report of Sub-Committee VIII, Committee D-1, 374.
- Specifications for the Fundamental Requirements of — for Specific Purposes. Report of Sub-Committee XXI, Committee D-1, 383.

**Paint Vehicles.**

- Testing of —. Report of Sub-Committee III, Committee D-1, 367.

**Painting.**

- Preparation of Iron and Steel Surfaces for —. Report of Sub-Committee XIV, Committee D-1, 382.

**Paper.**

- Tentative Specifications for Quicklime and Hydrated Lime for Use in the Cooking of Rags for the Manufacture of —, 697.

**Papers.**

- and Publications. Report of Committee E-6, 536.

**Paraffin Wax.**

- . Report of Sub-Committee III, Committee D-2, 422.

**Paving Brick.**

- Tentative Revision of the Standard Specifications for —, 986.

**Paving Materials.**

- Road and —. Report of Committee D-4, 452.

**Pavements.**

- Tentative Method of Test for Consistency of Portland Cement Concrete for — or for Pavement Base, 805.
- Tentative Specifications for Asphalt Cement, 40 to 50 Penetration, for Use in Sheet Asphalt and Asphaltic Concrete —, 794.
- Tentative Specifications for Asphalt Cement, 50 to 60 Penetration, for Use in Sheet Asphalt and Asphaltic Concrete —, 795.
- Tentative Specifications for Asphalt Cement, 60 to 70 Penetration, for Use in Sheet Asphalt, Asphaltic Concrete, and Asphalt Macadam —, 796.
- Tentative Specifications for Asphalt Cement, 70 to 90 Penetration, for Use in Asphalt Macadam —, 797.
- Tentative Specifications for Asphalt Cement, 90 to 120 Penetration, for Use in Asphalt Macadam —, 798.
- Tentative Specifications for Asphalt Cement, 120 to 150 Penetration, for Use in Asphalt Macadam —, 799.
- Tentative Specifications for Block for Durax Granite —, 788.
- Tentative Specifications for Block for Recut Granite Block —, 786.

**Perilla Oil.**

- Tentative Specifications for —, Raw or Refined, 753.

**Petrolatum.**

- , Report of Sub-Committee I, Committee D-2, 419.
- Tentative Method of Test for Melting Point of —, 766.

**Petroleum.**

- Products and Lubricants. Report of Committee D-2, 416.
- Tentative Method of Test for Cloud and Pour Points of — Products, 781.
- Tentative Method of Test for Sulfur in — Oils Heavier than Illuminating Oil, 777.

**Phase Difference.**

- Tentative Method of Test for — (Power Factor) and Dielectric Constant of Molded Electrical Insulating Materials at Radio Frequencies, 900.

**Phosphorus.**

- Preliminary Report of the Joint Committee on Investigation of — and Sulfur in Steel, 94. Discussion, 127.

**Pig Iron.**

- Tentative Revision of the Standard Specifications for Foundry —, 984.
- Tentative Specifications for Foundry —, 566.

**Pig Lead.**

- Tentative Specifications for —, 648.

**Pigments.**

- Tentative Methods of Routine Analysis of Yellow and Orange — Containing Chromium Compounds, Blue — and Chrome Green, 754.

**Pipe.**

- Clay and Cement Sewer —. Report of Committee C-4, 250. Addendum, 252.
- Tentative Revision of the Standard Specifications for Cement-Concrete Sewer —, 987.
- Tentative Revision of the Standard Specifications for Clay Sewer —, 986.
- Tentative Revision of the Standard Specifications for Welded and Seamless Steel —, 981.



**Pipe (Continued):**

- Tentative Revision of the Standard Specifications for Welded Wrought-Iron —, 983.
- Tentative Specifications for Brass —, Standard Sizes, 657.
- Tentative Specifications for Copper —, Standard Sizes, 653.

**Pitch.**

- Tentative Specifications for Coal-Tar — for Stone Block Filler, 800.
- Tentative Specifications for Coal-Tar — for Use in Damp-proofing and Waterproofing below Ground Level, 869.
- Tentative Specifications for Coal-Tar — for Use in Damp-proofing and Waterproofing above Ground Level, 871.
- Tentative Specifications for Creosote Oil for Priming Coat with Coal-Tar — in Damp-proofing and Waterproofing below and above Ground Level, 873.

**Plaster Board.**

- Gypsum Plaster and Wall Boards. J. M. Porter. Report of Committee C-11, Appendix, 358.
- Tentative Specifications for Gypsum —, 712.

**Pour.**

- Cloud and — Test. Report of Sub-Committee XVI, Committee D-2, 442.
- Tentative Method of Test for Cloud and — Points of Petroleum Products, 781.

**Power Factor.**

- Tentative Methods of Test for Phase Difference (—) and Dielectric Constant of Molded Electrical Insulating Materials at Radio Frequencies, 900.

**Preservative.**

- Coatings for Structural Materials. Report of Committee D-1, 364.
- Metallic Coatings for Metals. Report of Sub-Committee II, Committee A-5, 155.

**Primer.**

- Tentative Specifications for Creosote Oil for Priming Coat with Coal-Tar Pitch in Damp-proofing and Waterproofing below and above Ground Level, 873.
- Tentative Specifications for — for Use with Asphalt in Damp-Proofing and Waterproofing below and above Ground Level, 867.

**Publications.**

- Papers and —. Report of Committee E-6, 536.

**Pulp.**

- Tentative Specifications for Quicklime and Hydrated Lime for Use in the Manufacture of Sulfite —, 699.

**Pump Valves.**

- Tentative Specifications for Rubber —, 944.

**Q****Quicklime.**

- Tentative Methods of Chemical Analysis of Limestone, — and Hydrated Lime, 715.
- Tentative Methods of Sampling, Inspection, Packing and Marking of — and Lime Products, 728.
- Tentative Specifications for — and Hydrated Lime for the Manufacture of Silica Brick, 705.

**Quicklime (Continued):**

- Tentative Specifications for — and Hydrated Lime for Use in the Cooking of Rags for the Manufacture of Paper, 697.
- Tentative Specifications for — and Hydrated Lime for Use in the Manufacture of Sulfite Pulp, 699.
- Tentative Specifications for — and Hydrated Lime for Use in the Textile Industry, 703.
- Tentative Specifications for — for Structural Purposes, 688.

**R**

**Radio.**

- Tentative Method of Test for Phase Difference (Power Factor) and Dielectric Constant of Molded Electrical Insulating Materials at — Frequencies, 900.

**Railroads.**

- Report of the Society Representatives on the Joint Committee on Specifications for Steel Castings for —. Report of Committee A-1, Appendix II, 81.
- Tentative Specifications for Carbon-Steel Castings for —, 560.

**Refractories.**

- Report of Committee C-8, 308.
- The Status of Thermal Conductivity in Specifications for —. W. A. Hull. Report of Committee C-8, Appendix I, 309.

**Reinforced Concrete.**

- On the Progress Report of Joint Committee on Standard Specifications for Concrete and —. Report of Committee C-9, Appendix I, 324.
- Report of Committee C-2, 247.
- Tentative Rules for Inspection of Concrete and — Work, 734.

**Road Materials.**

- Road and Paving Materials. Report of Committee D-4, 452.
- Tentative Method of Float Test for Bituminous —, 809.

**Rubber.**

- Proposed Revisions of the Tentative Specifications for Cotton — Lined Fire Hose for Private Fire Department Use (D 14-21 T). Report of Committee D-11, Appendix, 494.
- Products. Report of Committee D-11, 486.
- Tentative Methods of Testing — Products, 947.
- Tentative Revision of the Standard Methods of Testing Cotton — Lined Hose, 994.
- Tentative Specifications for Cotton — Lined Fire Hose for Private Fire Department Use, 925.
- Tentative Specifications for — Gloves for Electrical Workers on Apparatus or Circuits Not Exceeding 3000 Volts to Ground, 937.
- Tentative Specifications for — Insulating Tape, 934.
- Tentative Specifications for — Pump Valves, 944.

**S**

**Sampling.**

- Analyses Illustrating the Importance of the Proper — of Material. G. E. F. Lundell. Report of Committee B-2, Appendix II, 212.
- Tentative Methods of — Bituminous Materials, 812.

**Sampling (Continued):**

- Tentative Method of — Bituminous Materials Shipped in Barrels or Drums, 890.
- Tentative Methods of —, Inspection, Packing and Marking of Quicklime and Lime Products, 728.
- Tentative Revision of the Standard Methods of Laboratory — and Analysis of Coal, 992.
- Tentative Revision of the Standard Methods of Laboratory — and Analysis of Coke, 993.

**Sand.**

- Tentative Method of Decantation Test for — and Other Fine Aggregates, 802.

**Seamless.**

- Tentative Revision of the Standard Specifications for Lap-Welded and — Steel Boiler Tubes for Locomotives, 981.
- Tentative Revision of the Standard Specifications for Welded and — Steel Pipe, 981.
- Tentative Specifications for Lap-Welded and — Steel and Lap-Welded Iron Boiler Tubes, 553.
- Tentative Specifications for — Admiralty Condenser Tubes and Ferrule Stock, 661.

**Sewer Pipe.**

- Clay and Cement —. Report of Committee C-4, 250. Addendum, 252.
- Tentative Revision of the Standard Specifications for Cement-Concrete —, 987.
- Tentative Revision of the Standard Specifications for Clay —, 986.

**Shatter Test.**

- Tentative Method of — for Coke, 822.

**Sheet.**

- Tentative Methods of Test for Momentary Dielectric Strength of — Insulating Materials, 897.

**Shipping Containers.**

- Report of Committee D-10, 483.

**Silica Brick.**

- Tentative Specifications for Quicklime and Hydrated Lime for the Manufacture of —, 705.

**Silt.**

- Tentative Revision of the Standard Method of Test for Quantity of Clay and — in Gravel for Highway Construction, 992.

**Soils.**

- Tentative Method of Mechanical Analysis of Subgrade —, 803.

**Soya Bean Oil.**

- Tentative Specifications for —, Raw or Refined, 748.

**Specific Gravity.**

- Tentative Revision of the Standard Methods of Testing Lubricants (—, Free Acid, Carbon Residue, Viscosity), 991.

**Spikes.**

- Tentative Revision of the Standard Specifications for Steel Track —, 981.

**Spraying.**

- Method of Application of Paint by —. Report of Sub-Committee XXII, Committee D-1, 384.

**Standing Committees.**

—, Report of Committee E-5, 534.

**Steel, Steels.**

Corrosion of Iron and —. Report of Committee A-5, 153.

Heat Treatment of Iron and —. Report of Committee A-4, 151.

Preliminary Report of the Joint Committee on Investigation of Phosphorus and Sulfur in —, 94. Discussion, 127.

Preparation of Iron and — Surfaces for Painting. Report of Sub-Committee XIV, Committee D-1, 382.

Proposed Revisions in Standards for —. Report of Committee A-1, Appendix I, 78.

Report of the Society Representatives on the Joint Committee on Specifications for — Castings for Railroads. Report of Committee A-1, Appendix II, 81.

—, Report of Committee A-1, 71.

Tentative Methods of Chemical Analysis of Plain Carbon —, 578.

Tentative Methods of Chemical Analysis of Alloy —, 600.

Tentative Recommended Practice for Heat Treatment of Carbon — Castings, 643.

Tentative Revision of the Recommended Practice for Annealing of Carbon — Castings, 985.

Tentative Revision of the Standard Methods of Chemical Analysis of Alloy —, 985.

Tentative Revision of the Standard Methods of Chemical Analysis of Plain Carbon —, 985.

Tentative Revision of the Standard Specifications for Automobile Carbon and Alloy —, 981.

Tentative Revision of the Standard Specifications for Lap-Welded and Seamless — Boiler Tubes for Locomotives, 981.

Tentative Revision of the Standard Specifications for — Track Spikes, 981.

Tentative Revision of the Standard Specifications for Welded and Seamless — Pipe, 981.

Tentative Specifications for Carbon — Castings for Railroads, 560.

Tentative Specifications for Lap-Welded and Seamless — and Lap-Welded Iron Boiler Tubes, 553.

**Stone Block.**

Tentative Specifications for Coal-Tar Pitch for — Filler, 800.

**Subgrade.**

Tentative Method of Mechanical Analysis of — Soils, 803.

**Sulfur.**

Preliminary Report of the Joint Committee on Investigation of Phosphorus and — in Steel, 94. Discussion, 127.

Tentative Method of Test for Detection of Free — and Corrosive — Compounds in Gasoline, 780.

Tentative Method of Test for — in Petroleum Oils Heavier than Illuminating Oil, 777.

— Determination and Differentiation. Report of Sub-Committee VII, Committee D-2, 430.

**Summary of the Proceedings.**

— of the Twenty-fifth Annual Meeting, 11.

## T

**Tape.**

Tentative Specifications for Adhesive — for General Use for Electrical Purposes, 931.

Tentative Specifications for Rubber Insulating —, 934.

**Ter.**

Tentative Specifications for Coal — Pitch for Stone Block Filler, 800.

Tentative Specifications for Coal — Pitch for Use in Damp-proofing and Waterproofing below Ground Level, 869.

Tentative Specifications for Coal — Pitch for Use in Damp-Proofing and Waterproofing above Ground Level, 871.

Tentative Specifications for Creosote Oil for Priming Coat with Coal — Pitch in Damp-proofing and Waterproofing below and above Ground Level, 873.

**Testing.**

Methods of —. Report of Committee E-1, 501. Discussion, 528.

**Textile, Textiles.**

Tentative Definitions of Terms Relating to — Materials, 976.

Tentative Methods of Testing —, 971.

Tentative Specifications for Quicklime and Hydrated Lime for Use in the — Industry, 703.

— Materials. Report of Committee D-13, 497.

**Thermal Conductivity.**

The Status of — in Specifications for Refractories. W. A. Hull. Report of Committee C-8, Appendix I, 309.

**Tile.**

Drain —. Report of Committee C-6, 259.

Hollow Building —. Report of Committee C-10, 352.

**Timber.**

—. Report of Committee D-7, 466.

Tentative Methods of Testing Small Clear Specimens of —, 827.

**Tolerances.**

Precision and —. Report of Sub-Committee XI, Committee C-8, Appendix II, 316.

Tentative Specifications for Imperfections and — for 60-in. 17½-oz. Square-Woven Builder Fabric (made of Yarn not less than 8-ply), 967.

**Track Spikes.**

Tentative Revision of the Standard Specifications for Steel —, 981.

**Tubes.**

Tentative Revision of the Standard Specifications for Lap-Welded and Seamless Steel Boiler — for Locomotives, 981.

Tentative Specifications for Lap-Welded and Seamless Steel and Lap-Welded Iron Boiler —, 553.

Tentative Specifications for Seamless Admiralty Condenser — and Ferrule Stock, 661.

**Tung Oil.**

Tentative Revision of the Standard Specifications for Purity of Raw —, 991.

Tentative Specifications for Raw —, 742.

V

**Valves.**

Tentative Specifications for Rubber Pump —, 944.

**Varnish, Varnishes.**

Numerical Tabulation and Comparison of — Tests. John A. Findley. Report of Committee D-9, Appendix, 479.

Tentative Methods of Testing Insulating —, 892.

— Report of Sub-Committee IX, Committee D-1, 375.

Tentative Specifications for Hydrated Lime for the Manufacture of —, 701.

**Viscosity.**

Tentative Revision of the Standard Methods of Testing Lubricants (Specific Gravity, Free Acid, Carbon Residue, —), 991.

— Report of Sub-Committee V, Committee D-2, 423.

W

**Wall Board.**

Gypsum Plaster and Wall Boards. J. M. Porter. Report of Committee C-11, Appendix, 358.

Tentative Specifications for Gypsum —, 710.

**Waterproofing.**

Tentative Methods of Testing Felted and Woven Fabrics Saturated with Bituminous Substances for Use in —, 875.

Tentative Specifications for Asphalt for Use in Damp-proofing and — above Ground Level, 865.

Tentative Specifications for Asphalt for Use in Damp-proofing and — below Ground Level, 863.

Tentative Specifications for Coal-Tar Pitch for Use in Damp-proofing and — above Ground Level, 871.

Tentative Specifications for Coal-Tar Pitch for Use in Damp-proofing and — below Ground Level, 869.

Tentative Specifications for Creosote Oil for Priming Coat with Coal-Tar Pitch in Damp-proofing and — below and above Ground Level, 873.

Tentative Specifications for Primer for Use with Asphalt in Damp-proofing and — below and above Ground Level, 867.

— Materials. Report of Committee D-8, 468.

**Wax.**

Paraffin —. Report of Sub-Committee III, Committee D-2, 422.

**Welded.**

Tentative Revision of the Standard Specifications for — and Seamless Steel Pipe, 981.

Tentative Revision of the Standard Specifications for — Wrought-Iron Pipe, 983.

**Wheels.**

Tentative Specifications for Chilled Cast-Iron —, 569.

**White Metal.**

The Physical Properties of the A.S.T.M. Tentative Standard — Bearing Alloys. John R. Freeman, Jr. Report of Committee B-2, Appendix I, 207.

**Wire.**

Copper —. Report of Committee B-1, 198.

Tentative Revision of the Standard Specifications for Hard-Drawn Copper —, 986.

**Wooden Boxes.**

Tentative Specifications for —, Nailed and Lock-Corner Construction, 918.

**Woven Fabrics.**

Tentative Methods of Testing Felted and — Saturated with Bituminous Substances for Use in Waterproofing, 875.

**Wrought Iron.**

Tentative Revision of the Standard Specifications for Welded — Pipe, 983.

Tentative Revision of the Standard Specifications for — Rolled or Forged Blooms and Forgings for Locomotives and Cars, 984.

— . Report of Committee A-2, 131.



## AUTHOR INDEX.

---

### A

**Abrams, D. A.**

Discussion, 292.

Report of Committee C-9, Appendix II: Summary of Data obtained in "Series 201," Compression Tests of Concrete Made in Cooperation with Committee C-9, 329.

**Adamson, W. Z.**

Discussion, 144, 145.

**Aupperle, J. A.**

Report of Committee A-5 on Corrosion of Iron and Steel, 153.

### B

**Bassett, W. H.**

Discussion, 243, 244.

**Bates, P. H.**

Report of Committee C-1 on Cement, 245.

**Baxter, F. R.**

Report of Sub-Committee I, of Committee D-2, on Petrolatum, 419.

**Berry, H. C.**

Report of Committee C-7 on Lime, 264.

Report of Committee C-7, Appendix IV: Effect of Hydrated Lime on Strength and Flow of Concrete, 290.

**Blanchard, A. H.**

Report of Committee D-4 on Road and Paving Materials, 452.

**Boylston, H. M.**

Report of Committee A-4 on Heat Treatment of Iron and Steel, 151.

**Breyer, F. G.**

Report of Sub-Committee XXI, of Committee D-1, on Specifications for the Fundamental Requirements of Paint for Specific Purposes, 383.

**Brown, R. P.**

Report of Committee C-7 on Lime, 264.

**Buck, W. E.**

Discussion, 146.

**Bull, R. A.**

Discussion, 139, 140, 141, 144.

**Burgess, G. K.**

Preliminary Report of the Joint Committee on Investigation of Phosphorus and Sulfur in Steel, 94.

Discussion, 130, 139, 142.

### C

**Campbell, William.**

Report of Committee B-2 on Non-Ferrous Metals and Alloys, 200.

Report of Committee B-2, Appendix III: A List of Alloys, 213.

**Capp, J. A.**

Report of Committee B-1 on Copper Wire, 198.

Report of Committee E-1 on Methods of Testing, 501.

**Carpenter, A. W.**

Report of Sub-Committee XIV, of Committee D-1, on Preparation of Iron and Steel Surfaces for Painting, 382.

**Cash, G.**

Report of Sub-Committee IV, of Committee D-2, on Grease, 422.

**Clamer, G. H.**

Discussion, 244.

**Chapman, Cloyd M.**

Report of Committee E-8 on Nomenclature and Definitions, 539.

**Clemmer, H. F.**

Report of Committee C-7, Appendix III: Investigation of Effect of Hydrated Lime in Concrete, 288.

**Cole, E. J.**

Report of Sub-Committee IX, of Committee D-1, on Varnish, 375.

**Comstock, G. F.**

Discussion, 528, 531.

**Cooper, William A.**

Report of Sub-Committee V, of Committee A-5, on Total Immersion Tests, 195.

**Crockatt, C. C.**

Report of Committee C-10 on Hollow Building Tile, 352.

**D****Davies, G. C.**

Report of Committee A-3 on Cast Iron, 134; Addendum to Report of Committee A-3, 136.

Discussion, 140, 141, 143.

**Davis, J. C.**

Report of Committee A-1, Appendix II: Report of the Society Representatives on the Joint Committee on Specifications for Steel Castings for Railroads, 81.

**Dean, E. W.**

Report of Sub-Committee VII, of Committee D-2, on Sulfur Determination and Differentiation, 430.

Report of Sub-Committee XII, of Committee D-2, on Flash, 441.

**Delbridge, T. G.**

Report of Sub-Committee VI, of Committee D-2, on Color, 425.

Report of Sub-Committee XVI, of Committee D-2, on Cloud and Pour Test, 442.

Report of Sub-Committee XVII, of Committee D-2, on Gasoline, 445.

**Diller, H. E.**

Report of Committee A-7 on Malleable Castings, 196.

**E****Emley, W. E.**

Report of Committee C-3 on Brick, 248.

Report of Committee C-7, Appendix II: Effect of Hydrated Lime on the Strength and Flow of Concrete, 284.

Report of Committee C-11 on Gypsum, 354.

**F****Farmer, F. M.**

- Report of Committee D-9 on Electrical Insulating Materials, 472.
- Report of Committee D-11 on Rubber Products, 486.

**Fieldner, A. C.**

- Report of Committee D-5 on Coal, 459.
- Report of Committee D-6 on Coke, 463.

**Findley, J. A.**

- Report of Committee D-9, Appendix: Numerical Tabulation and Comparison of Varnish Tests, 479.

**Forrest, C. N.**

- Report of Committee D-8 on Waterproofing Materials, 468.

**Francis, C. K.**

- Report of Sub-Committee III, of Committee D-2, on Paraffin Wax, 422.

**Freeman, J. R., Jr.**

- Report of Committee B-2, Appendix I: The Physical Properties of the A.S.T.M. Tentative Standard White Metal Bearing Alloys, 207.

**Fulweiler, W. H.**

- Report of Committee C-8 on Refractories, 308.

**G****Gardner, H. A.**

- Report of Sub-Committee III, of Committee D-1, on Testing of Paint Vehicles, 367.

**Gibboney, J. H.**

- Report of Committee A-5 on Corrosion of Iron and Steel, 153.
- Report of Sub-Committee III, of Committee A-5, on Inspection of the Fort Sheridan, Pittsburgh, and Annapolis Tests, 156.

**Goldbeck, A. T.**

- Report of Committee C-9 on Concrete and Concrete Aggregates, 321.
- Report of Committee C-9, Appendix I: On the Progress Report of the Joint Committee on Standard Specifications for Concrete and Reinforced Concrete, 324.

**Greenman, R. S.**

- Report of Committee C-1 on Cement, 245.

**H****Hall, J. H.**

- Discussion, 142, 143.
- Report of Committee A-4 on Heat Treatment of Iron and Steel, 151.

**Hallett, R. L.**

- Report of Committee D-1 on Preservative Coatings for Structural Materials, 364.

**Hammond, G. T.**

- Report of Committee C-4 on Clay and Cement Sewer Pipe, 250; Addendum to Report of Committee C-4, 252.

**Hering, Rudolph**

- Report of Committee C-4 on Clay and Cement Sewer Pipe, 250; Addendum to Report of Committee C-4, 252.

**Herschel, W. H.**

Report of Sub-Committee V, of Committee D-2, on Viscosity, 423.

**Hollister, S. C.**

Report of Committee C-2 on Reinforced Concrete, 247.

**Hubbard, Prévost**

Report of Committee D-4 on Road and Paving Materials, 452.

Report of Committee D-8 on Waterproofing Materials, 468.

**Hull, W. A.**

Report of Committee C-8, Appendix I: The Status of Thermal Conductivity in Specifications for Refractories, 309.

Report of Committee C-10 on Hollow Building Tile, 352.

**Humphrey, R. L.**

Report of Committee C-2 on Reinforced Concrete, 247.

**J****Job, Robert**

Discussion, 138, 243.

**Jury, A. E.**

Report of Committee D-13 on Textile Materials, 497.

**L****Lawson, T. R.**

Report of Committee C-3 on Brick, 248.

**Lundell, G. E. F.**

Report of Committee B-2, Appendix II: Analyses Illustrating the Importance of the Proper Sampling of Materials, 212.

**M****Mackenzie, K. G.**

Report of Committee D-2 on Petroleum Products and Lubricants, 416.

**Marani, V. G.**

Report of Committee C-11 on Gypsum, 354.

**Marston, Anson**

Report of Committee C-6 on Drain Tile, 259.

**Martin, C. B.**

Report of Committee D-11 on Rubber Products, 486.

**Merica, P. D.**

Report of Committee B-2 on Non-Ferrous Metals and Alloys, 200.

**Miller, R. P.**

Report of Committee C-5 on Fireproofing, 254.

**Moldenke, Richard**

Report of Committee A-3 on Cast Iron, 134; Addendum to Report of Committee A-3, 136.

Report of Committee D-6 on Coke, 463.

Discussion, 140, 141, 144, 145, 146.

**Moore, H. F.**

Discussion, 528, 530, 533.

**Muckenfuss, A. M.**

Report of Sub-Committee XXIII, of Committee D-1, on Anti-Fouling Paints, 394.

## N

**Nemzek, L. P.**

Report of Sub-Committee VI, of Committee D-1, on Definitions of Terms Used in Paint Specifications, 374.

**Newlin, J. A.**

Report of Committee D-7 on Timber, 466.

Report of Committee D-10 on Shipping Containers, 483.

## O

**Onderdonk, J. R.**

Discussion, 139, 243.

## P

**Pearson, J. C.**

Report of Committee C-9 on Concrete and Concrete Aggregates, 321.

Report of Committee C-9, Appendix I: On the Progress Report of the Joint Committee on Standard Specifications for Concrete and Reinforced Concrete, 324.

**Perdew, W. E.**

Report of Sub-Committee XI, of Committee D-2, on Emulsification, 431.

**Porter, J. M.**

Report of Committee C-11, Appendix: Gypsum Plaster and Wall Boards, 358.

**Provost, A. J., Jr.**

Report of Committee C-4 on Clay and Cement Sewer Pipe, 250; Addendum to Report of Committee C-4, 252.

**Purdy, R. C.**

Report of Committee C-8 on Refractories, 308.

## R

**Ramage, J. C.**

Discussion, 137.

**Rawdon, H. S.**

Report of Sub-Committee II, of Committee A-5, on Preservative Metallic Coatings for Metals, 155.

**Rogers, Allen**

Report of Committee D-1 on Preservative Coatings for Structural Materials, 364.

**Rogers, R. E.**

Report of Sub-Committee XXII, of Committee D-1, on Method of Application of Paint by Spraying, 384.

## S

**Selvig, W. A.**

Report of Committee D-5 on Coal, 459.

**Shertzer, T. B.**

Report of Committee C-7, Appendix I: Analysis of Tests on Effect of Hydrated Lime in Concrete Made at Lewis Institute, 269.

Discussion, 302.

**Skirm, G. W.**

Report of Committee D-13 on Textile Materials, 497.

**Smith, H. E.**

Report of Committee A-2 on Wrought Iron, 131.

**Smither, F. W.**

Report of Sub-Committee VIII, of Committee D-1, on Methods of Analysis of Paint Materials, 374.

## T

**Touceda, Enrique**

Report of Committee A-7 on Malleable Castings, 196.

**Tour, Sam**

Discussion, 529.

## U

**Uhler, J. L.**

Discussion, 143.

**Unger, J. S.**

Discussion, 127.

## V

**Van Gundy, C. P.**

Report of Committee D-2 on Petroleum Products and Lubricants, 416.

**Vassar, H. S.**

Report of Committee D-9 on Electrical Insulating Materials, 472.

**Von Schrenk, Hermann**

Report of Committee D-7 on Timber, 466.

## W

**Waring, F. M.**

Report of Committee A-1 on Steel, 71.

Report of Committee A-1, Appendix II: Report of the Joint Committee on Specifications for Steel Castings for Railroads, 81.

**Warwick, C. L.**

Annual Report of the Executive Committee, 46.

Preliminary Report of the Joint Committee on Investigation of Phosphorus and Sulfur in Steel, 94.

Report of Committee E-1 on Methods of Testing, 501.

Report of Committee E-5 on Standing Committees, 534.

Report of Committee E-6 on Papers and Publications, 536.

Report of Committee E-8 on Nomenclature and Definitions, 539.

**Webster, William R.**

Discussion, 147.

**Wille, H. V.**

Discussion, 141.

**Wilson, T. R. C.**

Report of Committee D-10 on Shipping Containers, 483.

**Wood, Walter**

Discussion, 145.

**Woolson, Ira H.**

Report of Committee C-5 on Fireproofing, 254.

**Y**

**Young, C. D.**

Annual Address by the President — A Quarter Century of Progress, 36.

Annual Report of the Executive Committee, 46.

**Young, J. B.**

Report of Committee A-2 on Wrought Iron, 131.